Dkt. No.: 6944

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

(Currently Amended) A method for targeting a high-risk member of a healthcare plan for 1. proactive care, using data from a plurality of electronically stored claims of the member, the method comprising:

calculating a predicted future healthcare utilization for each of a plurality of members of a heathcare plan, wherein the predicted future healthcare utilization for each of the plurality of members is respectively calculated using stored claim data associated with each of the plurality of members;

selecting a member from the a plurality of members of a healthcare plan using a filter criterion to identify the member as high-cost, wherein the filter criterion compares the members' predicted future healthcare utilization;

subsequent to identifying the member as high-cost, compiling a data set and all associated stored claim data associated with the selected member calculating a relative risk for the member, including comparing a quantified risk for each of a plurality of members of the healthcare plan;

searching the plurality of electronically stored claims of the data set associated with the selected member to identify the presence of an at least one intervention flag for the member, wherein each intervention flag corresponds to a member attribute amenable to intervention wherein the plurality of members of the healthcare plan includes members with distinct intervention flags;

identifying a medical episode driving cost from the plurality of claims of the member and all associated claim data in the data set that contributes to the selected member's identification as high-cost; and

generating a display an output showing to a user including the intervention flag and the medical episode in association with an identification of the member, the display being generated responsive to an electronic selection of the identification of the member by the user.

2. (Currently Amended) The method of claim 1, wherein the output is a display generated in response to an identification of the selected member by a user, and wherein further comprising generating a the display showing to the user shows detailed information regarding the intervention flag or the medical episode, responsive in response to electronic selection of the intervention flag or the medical episode by the user.

Dkt. No.: 6944

- 3. (Currently Amended) The method of claim 1 further including searching the plurality of claims data set for the presence of a member of intervention factors from the group consisting of: mental health diagnoses, self-care characteristics, equipment/monitors, and drug history.
- 4. (Currently Amended) The method of claim 1 further comprising, prior to the act of searching, choosing the high risk member using a wherein the member's predicted future health care utilization comprises the member's predicted future cost as specified by a predictive model.
- 5. (Currently Amended) The method of claim 1 wherein the searching step includes searching the <u>plurality of claims data set</u> to identify an intervention flag selected from the following group: emergency room visits, hospital admissions, out-of-network costs, multiple provider specialties, multiple prescriptions, no appropriate provider for a medical episode, missing aspects of care, and non-compliance with prescriptions.
- 6. (Currently Amended) The method of claim 1 further comprising linking the intervention flag to each of the plurality of claims in the data set corresponding to the intervention flag.
- 7. (Original) The method of claim 2 further comprising calculating a future cost for the member and displaying the future cost in association with the identification of the member.
- 8. (Currently Amended) The method of claim 2 further comprising displaying to the user [[the]] a relative risk in association with the identification of the member, where the relative risk is based at least partially on the predicted future healthcare utilization.

Reply to O.A. of May 18, 2006

Dkt. No.: 6944

9. (Previously Presented) The method of claim 1 wherein the intervention flag reflects the presence of a medical episode for which the member is not seeing an appropriate provider and further wherein the display indicates the medical episode and the appropriate provider.

- 10. (Currently Amended) The method of claim 1 wherein the intervention flag is the presence of a medical episode in the plurality of claims data set for which for which the member is missing a specified treatment.
- 11. (Currently Amended) The method of claim 1 wherein the intervention flag is the presence of a medication in the plurality of claims data set for which the member is noncompliant.
- 12. (Original) The method of claim 1 wherein the medical episode is defined in terms of CCG categories a disease grouping.
- 13. (Currently Amended) The method of claim 1 wherein the medical episode driving cost from the data set contributing to the selected member's identification as high-cost is identified by determining which of a plurality of medical episodes present in the plurality of claims data set has a highest actual cost.
- 14. (Currently Amended) The method of claim 1 wherein the medical episode driving cost from the data set contributing to the selected member's identification as high-cost is identified by determining which of a plurality of medical episodes present in the plurality of claims data set has a highest average cost according to benchmark medical episode data.
- 15. (Currently Amended) The method of claim 1 wherein the medical episode driving cost from the data set contributing to the selected member's identification as high-cost is identified by assigning a ranking to each of the plurality of medical episodes present in the plurality of claims data set based on a combination of an associated cost for the member and an average benchmark cost.

Reply to O.A. of May 18, 2006

Dkt. No.: 6944 Application Number: 09/733,215

(Currently Amended) A method for targeting high-risk members from a plurality of 16. members of a healthcare plan for proactive care, using data from a plurality of claims corresponding to the plurality of members, a record associated with each of the plurality of members being electronically stored, the method comprising:

calculating a predicted future healthcare utilization for each of the plurality of members, wherein the predicted future healthcare utilization for each of the plurality of members is respectively calculated using stored claim data associated with each of the plurality of members;

filtering the electronically stored records associated with each of the plurality of members using a filter criterion to identify a set of high-cost members, wherein the filter criterion compares the members' predicted future healthcare utilization;

subsequent to identifying the set of high-cost members, compiling a data set from the plurality of electronically stored member records associated with the set of high-cost members;

calculating a relative risk for each of the high-cost members, wherein the relative risk for each of the high-cost members is the quotient of the member's predicted future healthcare utilization divided by an average predicted future healthcare utilization for the set of high-cost plurality of members;

identifying the presence of an intervention flag for each member in the set of high-cost members by analyzing the claims corresponding to each member, wherein the set of high-cost members includes members with distinct intervention flags, and wherein the intervention flags correspond to a member attribute amenable to intervention;

selecting an intervention set from the high-cost members based on the relative risk for each of the high-cost members;

generating a display showing to a user the intervention flag for each intervention set member in association with an identification of the member; and

generating a display showing to the user detailed information regarding the intervention flag for one of the intervention set members, responsive to electronic selection of the intervention flag by the user.

17. (Previously Presented) The method of claim 16 wherein the filter criterion compares predicted future costs as specified by a predictive model.

Dkt. No.: 6944 Application Number: 09/733,215

Reply to O.A. of May 18, 2006

(Currently Amended) The method of claim 16 further including searching the plurality 18. of claims data set for the presence of a member of intervention factors from the group consisting of: mental health diagnoses, self-care characteristics, equipment/monitors, and drug history.

- 19. (Previously Presented) The method of claim 16 wherein the intervention flag for each high-cost member is selected from the following group: emergency room visits, hospital admissions, out-of-network costs, multiple provider specialties, multiple prescriptions, no appropriate provider for a medical episode, missing aspects of care, and non-compliance with prescriptions.
- 20. (Currently Amended) The method of claim 16 further comprising identifying a medical episode driving cost-from the data set contributing to the selected member's identification as high-cost from the plurality of claims for each member in the high-cost set of members.
- 21. (Currently Amended) A method for targeting high-risk members from a plurality of members of a healthcare plan for proactive care, using data from a plurality of claims corresponding to the plurality of members, a record associated with each of the plurality of members being electronically stored, the method comprising:

calculating a predicted future healthcare utilization for each of a plurality of members of a heathcare plan, wherein the predicted future healthcare utilization for each of the plurality of members is respectively calculated using stored claim data associated with each of the plurality of members;

filtering the electronically stored records associated with each of the plurality of members using a filter criterion to identify a set of high-cost members, wherein the filter criterion compares the members' predicted future healthcare utilization;

subsequent to identifying the set of high cost members, calculating a relative risk for each of the high-cost members, wherein the relative risk for each of the high-cost members is the quotient of the member's predicted future healthcare utilization divided by an average predicted future healthcare utilization for the plurality of members;

compiling a data set from the plurality of electronically stored member records;

Dkt. No.: 6944

identifying a medical episode driving cost from the plurality of claims from the data set contributing to the selected member's identification as high-cost for each of the high-cost members wherein the set of high-cost members includes members with distinct medical episodes;

selecting an intervention set from the data set associated with high-cost members based on the relative risk and at least one medical episode for each of the high-cost members; and generating a display showing to a user the medical episode in association with an identification of an intervention set member, the display being generated responsive to an electronic selection of the identification of the intervention set member by the user.

- 22. (Previously Presented) The method of claim 21 wherein the filter criterion compares a predicted future cost for each of the plurality of members.
- 23. (Currently Amended) The method of claim 22 wherein the member's predicted future health care utilization comprises the member's predicted future cost [[is]] calculated using a predictive model.
- 24. (Currently Amended) The method of claim 21 further comprising searching the plurality of claims data set to identify the presence of an intervention flag for each of the high-cost members.
- 25. (Currently Amended) The method of claim 21 further comprising searching the plurality of elaims data set for the presence of a factor influencing care intervention for each of the highcost members.
- 26. (Original) The method of claim 25 wherein the factor influencing care intervention is selected from the group consisting of: mental health diagnoses, self-care characteristics, equipment/monitors, and drug history.
- 27. (Currently Amended) A method of targeting high-risk members amenable to proactive care from a plurality of members of a healthcare plan using information from a plurality of

Dkt. No.: 6944

claims corresponding to each of the plurality of members, a record associated with each of the plurality of members being electronically stored, the method comprising:

filtering the electronically stored records associated with each of the plurality of members using a filter criterion to identify a set of high-cost members, wherein the filter criterion compares the members' predicted future healthcare utilization <u>calculated based on the plurality</u> of electronically stored member records;

subsequent to identifying the set of high-cost members, calculating a relative risk for each of the high-cost members, wherein the relative risk for each of the high-cost members is the quotient of the member's predicted future healthcare utilization divided by an average predicted future healthcare utilization for the plurality of members;

subsequent to identifying the set of high-cost members and to calculating relative risk for each of the high-cost members, compiling a data set from the plurality of electronically stored member records, wherein the data set includes at least the calculated risk for each of the high-cost members;

identifying the presence of each of a plurality of intervention flags for each member in the set of high-cost members by analyzing the elaims corresponding to each high-cost member data set, wherein the set of high-cost members includes members with distinct sets of intervention flags, the intervention flags corresponding to member attributes amenable to intervention;

generating a data file for display showing the number of interventions flags present for each of the high cost high-cost members in association with an identification of the member;

selecting an intervention set from the <u>set of high-cost</u> members based on the relative risk for each of the high-cost members; and

selecting one of the intervention set members and displaying to a user a portion of the data file corresponding to the selected intervention set member, such that the displayed portion of the data file includes the plurality of intervention flags of the selected intervention set member.

28. (Previously Presented) The method of claim 27 further comprising, prior to the act of generating a data file, selecting the intervention set from the high-cost members, based on a

Dkt. No.: 6944

relevant criterion, and wherein the data file is for display showing the number of intervention flags for each of the intervention set members.

- 29. (Previously Presented) The method of claim 28 wherein filtering using the filter criterion identifies the high-cost members and further identifies a relative risk for each of the plurality of members of the healthcare plan.
- 30. (Original) The method of claim 29 wherein the high-cost members are ranked in the data file according to each high-cost member's relative risk and the number of intervention flags present.
- (Previously Presented) The method of claim 27 wherein, responsive to electronic 31. selection by the user of at least one of the plurality of intervention flags of the selected intervention set member, detailed information regarding the at least one of the plurality of intervention flags is displayed to the user.

-9-